CONTINENTAL METAL PRODUCTS
Stainless Steel Healthcare Equipment
Meeting the Demands of the OR

healthcare division

Proudly Made in the
USA for over 65 years

Pharmette Medicine Centers

CMP has been building Pharmette Medicine Centers for over 65 years. CMP's Medicine Centers are ideal for securing and organizing narcotics. High quality stainless steel construction helps maintain a sanitary environment and will last for many years. CMP is so confident in our quality and craftsmanship that we offer a two year labor and six year parts warranty.

Features:

- Stainless Steel Construction
- Hot and Cold Water Faucet
- Adjustable S/S Flat Shelves
- Storage Compartment
- GFI Electrical Receptacle
- Optional Security Doors
- Full Length Working Surface
- Coved Corner Integral Sink
- Locking Syringe Drawer
- Removable Refrigerator w/ Lock
- Narcotics/Hypnotics Cabinet
- Optional Remote Warning Light
- Four Sizes Available
- 16 Gauge S/S Countertop
- 24 Compartment Card Rack
- Fluorescent Lighting
- Cup Dispenser
- Optional Soap Dispenser

Continental Metal Products Co., Inc. – 35 Olympia Avenue, Woburn, MA 01801
Phone (781) 935-4400 FAX (781) 935-4404 www.continentalmetal.com sales@continentalmetal.com

CONTINENTAL METAL PRODUCTS
Stainless Steel Healthcare Equipment
Meeting the Demands of the OR

healthcare division

Proudly Made in the
USA for over 65 years

Pharmette Medicine Centers

Models:

Model PV-3M

- 36” (914 mm) wide x 26” (660 mm) deep x 80” (2,032 mm) high
- 360 lbs (163 kg)

Model PV-4M

- 48” (1,219 mm) wide x 26” (660 mm) deep x 80” (2,032 mm) high
- 380 lbs (172 kg)

Narcotic Locker with Warning Light, Upper Storage Area, Cup Dispenser, Medicine Card Rack, Fluorescent Lighting, GFI Electrical Receptacle, Locking Drawer, Removable Refrigerator with Lock, Utility Compartment, Hot and Cold Water Faucet, Integrally Welded Sink

Model PV-5M

- 60” (1,524 mm) wide x 26” (660 mm) deep x 80” (2,032 mm) high
- 400 lbs (181 kg)

Narcotic Locker with Warning Light, Upper Storage Area, Cup Dispenser, Medicine Card Rack, Fluorescent Lighting, GFI Electrical Receptacle, Locking Drawer, Removable Refrigerator with Lock, Utility Compartment, Hot and Cold Water Faucet, Integrally Welded Sink, Lower Storage Compartment

Model PV-6M

- 72” (1,829 mm) wide x 26” (660 mm) deep x 80” (2,032 mm) high
- 500 lbs (227 kg)

Narcotic Locker with Warning Light, Upper Storage Area, Cup Dispenser, Medicine Card Rack, Fluorescent Lighting, GFI Electrical Receptacle, Locking Drawer, Removable Refrigerator with Lock, Utility Compartment, Hot and Cold Water Faucet, Integrally Welded Sink, Lower Storage Compartment, Additional Locking Drawer

Continental Metal Products Co., Inc. – 35 Olympia Avenue, Woburn, MA 01801
Phone (781) 935-4400 FAX (781) 935-4404 www.continentalmetal.com sales@continentalmetal.com

CONTINENTAL METAL PRODUCTS
Stainless Steel Healthcare Equipment
Meeting the Demands of the OR

healthcare division

Proudly Made in the
USA for over 65 years

Pharmette Medicine Centers

Specifications:

Construction:
Model PV-3M Medicine Center shall be 36” (914 mm) wide x 26” (660 mm) deep x 80” (2,032 mm) high.
Model PV-4M Medicine Center shall be 48” (1,219 mm) wide x 26” (660 mm) deep x 80” (2,032 mm) high.
Model PV-5M Medicine Center shall be 60” (1,524 mm) wide x 26” (660 mm) deep x 80” (2,032 mm) high.
Model PV-6M Medicine Center shall be 72” (1,829 mm) wide x 26” (660 mm) deep x 80” (2,032 mm) high.
Units shall be constructed of type 304 stainless steel with a no. 4 finish. Welding is to be done by heliarc process. All exposed welding shall be ground and polished. Medicine Center cabinet shall be constructed of no. 20 gauge (0.9 mm) front, sides and top, and no. 16 gauge (1.5 mm) base and counter top.

Counter Top:
Counter top working surface shall be provided at height of 39” (991 mm), extending full length of cabinet and shall include an inverted “V” type edge at front. Model PV-3M sink dimensions are 6-3/8” (162 mm) x 9-3/8” (238 mm) x 6” (152 mm) deep. Model PV-4M, PV-5M and PV-6M sink dimensions are 11-1/2” (292 mm) x 9-1/2” (241 mm) x 6” (152 mm) deep. Counter top and sink shall be of type 304 stainless steel. Sink shall have all radius corners and shall be integrally welded into top. Sink shall be equipped with combination hot and cold water faucet with chrome-plated waste strainer with 1-1/2” (38 mm) O.D. tailpiece.

Medicine Storage Shelves:
Adjustable stainless steel flat shelves for storage of individual plastic trays shall be included with PVT- models. Removable stepped shelves for storage of stock medicines in PVS- models shall be slightly inclined and sized to keep bottles in sight and accessible, PVC- models shall have a combination of both types of shelves. Conversion of shelves shall be possible without use of tools.

Medicine Care Racks:
Medicine card rack shall be provided, located on left hand wall above countertop. Card rack shall provide 24 compartments of 2” x 2” (51 mm x 51 mm) cards.

Cup Dispenser:
Cup dispenser shall be provided for individual dispensing of standard 1-ounce paper cups.

Narcotics/Hypnotics Cabinet:
2,200 cu. in. (39 liter) narcotics/ hypnotics cabinet shall be located in upper left section of Medicine Center and equipped with outer and inner doors, each with separate lock and key, outer door to secure hypnotics locker and inner door to secure narcotics locker. Red warning signal shall be provided which shall light when doors are in open position and remain “on” until doors are locked.

Refrigerator:
Removable Refrigerator shall be provided. Refrigerator shall be 5.3 cu. ft. net capacity, automatic self-defrosting and equipped with adjustable shelves. Refrigerator also has door storage, adjustable thermostat, an interior light, stainless steel door and lock.

Waste Opening:
Die-formed opening shall be provided on utility door for disposal items (waste container supplied by others).

Fluorescent Light:
Recessed fluorescent light shall be located at front of cabinet ceiling and shall be controlled by switch.

Pharmette Medicine Centers

Specifications (continued):

Electrical Receptacle:
Single GFI electrical receptacle shall be provided, combined with light switch. Receptacle shall be 125 volt, 15 ampere rated, three-wire grounding type.

Drawers:
Removable stainless steel drawer shall be provided. Drawer is to be set into frame which is mounted on ball bearing slides and shall be equipped with lock and pull handle. Model PV-3M, PV-4M and PV-5M contain one drawer. Model PV-6M contains two drawers.

Locks:
Door of hypnotics locker, inner narcotics door, security doors, syringe drawer and refrigerator shall all be provided with locks. Two keys are to be provided for each lock.

Storage Compartment:
Model PV-5M and PV-6M contain a lower storage compartment. Spacious area shall be located under counter for storing bulk items.

Service Requirements:
Medicine Center shall be completely interwired, requiring only one single connection for each service. Service connections shall be ½" (13 mm) I.P.S. for hot water and cold water supplies; 1 ½" (38 mm) for drain; and 115 volt, single-phase, 60 Hz, with total of 15 amperes being required (single connection in circuit breaker panel). All servicing is to be performed from the front of the unit.

Optional Interior Glass Doors, Soap Dispenser,
Instant Hot Water Dispenser, Wrist Blades and Swing Spout Faucet

CONTINENTAL METAL PRODUCTS
Stainless Steel Healthcare Equipment
Meeting the Demands of the OR

healthcare division

Proudly Made in the
USA for over 65 years

Pharmette Medicine Centers

Options:

Size:

☐ PV-3M ☐ PV-4M ☐ PV-5M ☐ PV-6M

Type:

☐ PVT (Supplied with three stainless steel shelves and medicine trays)
☐ PVS (Supplied with two stainless steel shelves and one step shelf)
☐ PVC (Supplied with combination of two stainless steel shelves, medicine trays and step shelf)

Security Doors:

☐ Interior Hinged Glass Doors
☐ Interior Hinged Stainless Steel Doors
☐ Interior Roll-Up Door
☐ Exterior Hinged Glass Doors
☐ Exterior Hinged Stainless Steel Doors
☐ Exterior Roll-Up Door

Other Options:

☐ Slope Top for free standing installations
☐ Wrist Blades for faucets
☐ Soap Dispenser
☐ Additional Warning Light Below Counter
☐ Connection for Remote Warning Light
☐ Swing Spout Faucet
☐ Cork Bulletin Board
☐ Instant Hot Water Dispenser
☐ Trim Strips for recessed installations
☐ Paper Towel Dispenser
☐ Security Alarm for activating buzzer when narcotics/ hypnotics cabinet is opened
☐ Identification Cards for Use with Medicine Trays
☐ Medicine Cards for Use with Medicine Card Rack
☐ Interior Narcotic Light
☐ Sound Deadening for underside of sink and counter



Optional Interior Glass Doors, Soap Dispenser,
Instant Hot Water Dispenser, Wrist Blades and Swing Spout Faucet

Continental Metal Products Co., Inc. – 35 Olympia Avenue, Woburn, MA 01801
Phone (781) 935-4400 FAX (781) 935-4404 www.continentalmetal.com sales@continentalmetal.com



PLAN



PLAN VIEW
1/2X SCALE
MINIMUM DIMENSIONS FOR RECESSED
WALL OPENING



ELEVATION



SECTION "A"



SECTION "B"

REF	DESCRIPTION
1	#16 GA. S/S COUNTER TOP W/ 6 3/8" x 9-3/8" x 6" SINK, INVERTED "V" EDGE AT FRONT & INTEGRAL BACK-SPLASH
2	NARCOTIC WARNING LIGHT
3	COMBINATION NARCOTIC AND HYPNOTIC CABINET W/ ADJ. SHELVES
4	125V - 15A GFI RECEPTACLE AND LIGHT SWITCH
5	SYRINGE DRAWER, LOCKING
6	REMOVABLE 5.3 CU. FT. REFRIGERATOR W/ WHITE ABS PLASTIC LINER, STAINLESS STEEL DOOR AND LOCK
7	UTILITY COMPARTMENT W/ OPEN BACK
8	RECESSED LIGHT
9	24 COMPARTMENT MEDICINE CARD RACK
10	ADJ. AND REMOVABLE SHELVES
11	MEDICINE CUP DISPENSER, FOR STD. 1 OZ. CUPS
12	WASTE CONTAINER (BY OTHERS)
13	WASTE CONTAINER OPENING
14	MEDICINE TRAYS, (24) INDIVIDUAL, PLASTIC, 4.125 X 3 X 7.375
15	CIRCUIT BREAKER LOAD CENTER
16	DECK MOUNTED HOT AND COLD WATER FAUCET
17	THREE (2) 5/16" DIA. ANCHORING HOLES FOR SECURING UNIT TO WALL

REQUIRED SERVICES	
H	1/2" I.P.S. HOT WATER
C	1/2" I.P.S. COLD WATER
D	1 1/2" O.D. WASTE
E	115 V.A.C. - 60 HZ. - 1 PH. - 15 AMPS. (HARD WIRE)

NOTES

1. MEDICINE CENTER SHALL BE CONSTRUCTED ENTIRELY OF S/S W/ NO. 20 GA. FRONT, SIDES AND TOP, AND NO. 16 GA. BASE AND COUNTERTOP.
2. SERVICING OF COMPONENT PARTS SHALL BE FROM THE FRONT OF UNIT.
3. ALL SERVICES SHALL BE ROUGHED IN AT REAR OF UNIT. DIMENSIONS INDICATED ARE TO POINTS OF CONNECTION. ALLOWANCES MUST BE MADE FOR VALVES AND TRAPS. CENTER OF PLUMBING SERVICES TO BE ROUGHED IN 28" UP FROM FLOOR.
4. PROVIDE S/S TRIM STRIPS FOR RECESSED UNITS AS REQ'D.

REVISIONS		
NO.	DATE	BY
1	09/19/14	MAL

CONTINENTAL METAL PRODUCTS CO., INC.
35 OLYMPIA AVE. - WOBURN, MA. 01888

PHARMETTE MEDICINE CENTER, MODEL NO. PVT-3M

SCALE: 1" = 12" | DATE: 02/27/2008 | DRAWN: MAL

SHEET: 1 OF 1 | SYS AC | DWG NO. ACC-1626 | REV 1



PLAN



PLAN VIEW
1/2X SCALE
MINIMUM DIMENSIONS FOR RECESSED
WALL OPENING



ELEVATION



SECTION "A"



SECTION "B"

REF	DESCRIPTION
1	#16 GA. S/S COUNTER TOP W/ 9 1/2" x 11 1/2" x 6" SINK, INVERTED "V" EDGE AT FRONT & INTEGRAL BACK-SPLASH
2	NARCOTIC WARNING LIGHT
3	COMBINATION NARCOTIC AND HYPNOTIC CABINET W/ ADJ. SHELVES
4	125V – 15A GFI RECEPTACLE AND LIGHT SWITCH
5	SYRINGE DRAWER, LOCKING
6	REMOVABLE 5.3 CU. FT. REFRIGERATOR W/ WHITE ABS PLASTIC LINER, STAINLESS STEEL DOOR AND LOCK
7	UTILITY COMPARTMENT W/ OPEN BACK
8	RECESSED LIGHT
9	24 COMPARTMENT MEDICINE CARD RACK
10	ADJ. AND REMOVABLE SHELVES
11	MEDICINE CUP DISPENSER, FOR STD. 1 OZ. CUPS
12	WASTE CONTAINER (BY OTHERS)
13	WASTE CONTAINER OPENING
14	SPARE NO.
15	CIRCUIT BREAKER LOAD CENTER
16	DECK MOUNTED HOT AND COLD WATER FAUCET
17	THREE (3) 5/16" DIA. ANCHORING HOLES FOR SECURING UNIT TO WALL
18	MEDICINE TRAYS, (36) INDIVIDUAL, PLASTIC, 4.125 X 3 X 7.375

REQUIRED SERVICES	
H	1/2" I.P.S. HOT WATER
C	1/2" I.P.S. COLD WATER
D	1 1/2" O.D. WASTE
E	115 V.A.C. – 60 HZ. – 1 PH. – 15 AMPS. (HARD WIRE)

NOTES

1. MEDICINE CENTER SHALL BE CONSTRUCTED ENTIRELY OF S/S W/ NO. 20 GA. FRONT, SIDES AND TOP, AND NO. 16 GA. BASE AND COUNTERTOP.
2. SERVICING OF COMPONENT PARTS SHALL BE FROM THE FRONT OF UNIT.
3. ALL SERVICES SHALL BE ROUGHED IN AT REAR OF UNIT. DIMENSIONS INDICATED ARE TO POINTS OF CONNECTION. ALLOWANCES MUST BE MADE FOR VALVES AND TRAPS. CENTER OF PLUMBING SERVICES TO BE ROUGHED IN 28" UP FROM FLOOR.
4. PROVIDE S/S TRIM STRIPS FOR RECESSED UNITS AS REQ'D.

REVISIONS		
NO.	DATE	BY
1	10/01/07	PM
2	09/19/14	MAL

CONTINENTAL METAL PRODUCTS CO., INC.
35 OLYMPIA AVE. – WOBURN, MA. 01888

PHARMETTE MEDICINE CENTER, MODEL NO. PVT-4M

SCALE: 1" = 12" | DATE: 01/20/2005 | DRAWN: MAL

SHEET: 1 OF 1 | SYS AC | DWG NO. ACC-1468 | REV 2



PLAN



PLAN VIEW
1/2X SCALE
MINIMUM DIMENSIONS FOR RECESSED
WALL OPENING



ELEVATION



SECTION "A"

SECTION "B"

REF	DESCRIPTION
1	#16 GA. S/S COUNTER TOP W/ 9 1/2" x 11 1/2" x 6" SINK, INVERTED "V" EDGE AT FRONT & INTEGRAL BACK-SPLASH
2	NARCOTIC WARNING LIGHT
3	COMBINATION NARCOTIC AND HYPNOTIC CABINET W/ ADJ. SHELVES
4	125V – 15A GFI RECEPTACLE AND LIGHT SWITCH
5	SYRINGE DRAWER, LOCKING
6	REMOVABLE 5.3 CU. FT. REFRIGERATOR W/ WHITE ABS PLASTIC LINER, STAINLESS STEEL DOOR AND LOCK
7	UTILITY COMPARTMENT W/ OPEN BACK
8	RECESSED LIGHT
9	24 COMPARTMENT MEDICINE CARD RACK
10	ADJ. AND REMOVABLE SHELVES
11	MEDICINE CUP DISPENSER, FOR STD. 1 OZ. CUPS
12	WASTE CONTAINER (BY OTHERS)
13	WASTE CONTAINER OPENING
14	STORAGE COMPARTMENT W/ ADJ. SHELF
15	CIRCUIT BREAKER LOAD CENTER
16	DECK MOUNTED HOT AND COLD WATER FAUCET
17	THREE (3) 5/16" DIA. ANCHORING HOLES FOR SECURING UNIT TO WALL
18	MEDICINE TRAYS, (48) INDIVIDUAL, PLASTIC, 4.125 X 3 X 7.375

REQUIRED SERVICES	
H	1/2" I.P.S. HOT WATER
C	1/2" I.P.S. COLD WATER
D	1 1/2" O.D. WASTE
E	115 V.A.C. – 60 HZ. – 1 PH. – 15 AMPS. (HARD WIRE)

NOTES

1. MEDICINE CENTER SHALL BE CONSTRUCTED ENTIRELY OF S/S W/ NO. 20 GA. FRONT, SIDES AND TOP, AND NO. 16 GA. BASE AND COUNTERTOP.
2. SERVICING OF COMPONENT PARTS SHALL BE FROM THE FRONT OF UNIT.
3. ALL SERVICES SHALL BE ROUGHED IN AT REAR OF UNIT. DIMENSIONS INDICATED ARE TO POINTS OF CONNECTION. ALLOWANCES MUST BE MADE FOR VALVES AND TRAPS. CENTER OF PLUMBING SERVICES TO BE ROUGHED IN 28" UP FROM FLOOR.
4. PROVIDE S/S TRIM STRIPS FOR RECESSED UNITS AS REQ'D.

REVISIONS		
NO.	DATE	BY
1	10/01/07	PM
2	09/19/14	MAL

CONTINENTAL METAL PRODUCTS CO., INC.
35 OLYMPIA AVE. – WOBURN, MA. 01888

PHARMETTE MEDICINE CENTER, MODEL NO. PVT-5M

SCALE: 1" = 12" | DATE: 01/20/2005 | DRAWN: MAL

SHEET: 1 OF 1 | SYS AC | DWG NO. ACC-1469 | REV 2



PLAN



PLAN VIEW
1/2X SCALE
MINIMUM DIMENSIONS FOR RECESSED
WALL OPENING

REF	DESCRIPTION
1	#16 GA. S/S COUNTER TOP W/ 9 1/2" x 11 1/2" x 6" SINK, INVERTED "V" EDGE AT FRONT & INTEGRAL BACK-SPLASH
2	NARCOTIC WARNING LIGHT
3	COMBINATION NARCOTIC AND HYPNOTIC CABINET W/ ADJ. SHELVES
4	125V – 15A GFI RECEPTACLE AND LIGHT SWITCH
5	SYRINGE DRAWER, LOCKING
6	REMOVABLE 5.3 CU. FT. REFRIGERATOR W/ WHITE ABS PLASTIC LINER, STAINLESS STEEL DOOR AND LOCK
7	UTILITY COMPARTMENT W/ OPEN BACK
8	RECESSED LIGHT
9	24 COMPARTMENT MEDICINE CARD RACK
10	ADJ. AND REMOVABLE SHELVES
11	MEDICINE CUP DISPENSER, FOR STD. 1 OZ. CUPS
12	WASTE CONTAINER (BY OTHERS)
13	WASTE CONTAINER OPENING
14	STORAGE COMPARTMENT W/ ADJ. SHELF
15	CIRCUIT BREAKER LOAD CENTER
16	DECK MOUNTED HOT AND COLD WATER FAUCET
17	FOUR (4) 5/16" DIA. ANCHORING HOLES FOR SECURING UNIT TO WALL
18	MEDICINE TRAYS, (60) INDIVIDUAL, PLASTIC, 4.125 X 3 X 7.375



ELEVATION



SECTION "A"



OPEN BACK THIS AREA
FOR UTILITY CONNECTIONS

SECTION "B"

REQUIRED SERVICES	
H	1/2" I.P.S. HOT WATER
C	1/2" I.P.S. COLD WATER
D	1 1/2" O.D. WASTE
E	115 V.A.C. – 60 HZ. – 1 PH. – 15 AMPS. (HARD WIRE)

NOTES

1. MEDICINE CENTER SHALL BE CONSTRUCTED ENTIRELY OF S/S W/ NO. 20 GA. FRONT, SIDES AND TOP, AND NO. 16 GA. BASE AND COUNTERTOP.
2. SERVICING OF COMPONENT PARTS SHALL BE FROM THE FRONT OF UNIT.
3. ALL SERVICES SHALL BE ROUGHED IN AT REAR OF UNIT. DIMENSIONS INDICATED ARE TO POINTS OF CONNECTION. ALLOWANCES MUST BE MADE FOR VALVES AND TRAPS. CENTER OF PLUMBING SERVICES TO BE ROUGHED IN 28" UP FROM FLOOR.
4. PROVIDE S/S TRIM STRIPS FOR RECESSED UNITS AS REQ'D.

REVISIONS		
NO.	DATE	BY
1	10/01/07	PM
2	09/19/14	MAL

CONTINENTAL METAL PRODUCTS CO., INC.
35 OLYMPIA AVE. – WOBURN, MA. 01888

PHARMETTE MEDICINE CENTER, MODEL NO. PVT-6M

SCALE: 1" = 12" | DATE: 01/20/2005 | DRAWN: MAL

SHEET: 1 OF 1 | SYS AC | DWG NO. ACC-1470 | REV 2