

Stainless Steel Linen Inspection Tables Features:

- Medical Grade - heavy duty construction
- 16 Gauge Type 304 Stainless Steel
- Custom Options and Sizes
- 120 Volt or 220 Volt, 50/60 Hz
- Clear Plexiglas Diffuser
- Optional Dimming Switch
- LED illuminated inspection surface
- Projected life is 50,000 hours at 70% lumen output
- 4000K color temperature (CCT)
- Adjustable Bullet Feet
- Optional Casters with Locks
- Optional Lower Storage Shelf



Stainless Steel Illumination Table

CMP Linen Inspection Tables are high-quality stainless steel tables, designed for inspection and folding of hospital linens drapes and packing wraps. The brilliant illuminated work surface makes it quick and easy to detect rips and tears in bedsheets, pillowcases, blankets, gowns and towels, after each laundering.

LED Illuminated Work Surface

CMP Hospital Inspection Tables possess an integrated large illuminated work surface that has been designed for the hospital and emergency room environment. CMP current models of stainless steel Linen Inspection Tables have been updated with LED lights to replace the traditional fluorescent strip light.

Two Sizes of Linen Inspection Table accommodate all Workspaces

Outside Area Dimensions: 96" or 72" Wide, x 44" Deep x 36" High

Inspection Tables are a part of CMP's
Smart Solutions for Surgical Spaces



Proudly Made in the USA
USA for over 75 years

Continental Metal Products, Corporation, Inc.
Healthcare Division
35 Olympia Avenue, Woburn, MA 01801
(781) 935-4400 (800) 221-4439
www.continentalmetal.com
sales@continentalmetal.com

Dimensions:

- Width: 96" (2438 mm) , 72" (1828.8 mm)
- Depth: 44" (1118 mm)
- Height: 36" high (914 mm)



CMP Model # LI-9644 - Outside Area Dimensions: 96" Wide x 44" Deep x 36" High

CMP Model # LI-7244 - Outside Area Dimensions: 72" Wide x 44" Deep x 36" High

Specifications Application:

CMP Linen Inspection is designed for inspection and folding of hospital linens. Rips and tears in bedsheets, pillowcases, blankets, towels, etc. can be detected easily and quickly after laundering. It is best suited for locating in laundry areas.

Construction:

CMP Linen Inspection Tables are constructed of type 304 stainless steel. Welding is done by the Heliarc process. All exposed welding is ground and polished to match the No. 4 finish.

Counter Top:


CMP Linen Inspection Tables have a counter top working surfaces that is 36" high (914 mm). The counter top is constructed of No. 16 gauge (1.5 mm) stainless steel with 1½" (38 mm) boxed perimeter edge all around. The counter top is recessed and fitted with a flush mounted, thick clear translucent Plexiglas diffuser. A LED light panel with continuous air louvers is located directly below the diffuser pane. Lights are pre-wired to a rocker arm light switch and 10 ft. long hospital grade power cord and plug at end of table for connecting to 120V, 60 Hz, single phase electric receptacle. The under structure is supported with six 1 5/8" diameter stainless steel tubular legs with adjustable bullet feet and 1" diameter perimeter cross bracing continuously welded to uprights.

Inspection Tables are a part of CMP's
Smart Solutions for Surgical Spaces




Proudly Made in the USA
USA for over 75 years

Continental Metal Products, Corporation, Inc.
Healthcare Division
35 Olympia Avenue, Woburn, MA 01801
(781) 935-4400 (800) 221-4439
www.continentalmetal.com
sales@continentalmetal.com




PLAN

10 FT. LONG POWER CORD
W/ INTEGRAL SWITCH.
NEMA 5-15 OR BS TYPE
G PLUG IS STANDARD.
OTHER PLUGS AVAILABLE





ELEVATION



SECTION

DIMENSIONS ARE IN INCHES


REVISIONS			 CONTINENTAL METAL PRODUCTS CO., INC. 35 OLYMPIA AVE. - WOBURN, MA. 01888		
NO.	DATE	BY			
			MODEL NO. L17244		
			LINEN INSPECTION TABLE		
			SCALE: 3/4"=12"	DATE: 05/22/2020	DRAWN: PM
			SHEET: 1 OF 1	SYS AC	DWG NO. ACB-1916-1
					REV



#16 GA. TYPE 304 S/S
TOP W/ 1-1/2" BOXED
EDGE ON ALL SIDES

PLAN

10 FT. LONG POWER CORD
W/ INTEGRAL SWITCH.
NEMA 5-15 OR BS TYPE
G PLUG IS STANDARD.
OTHER PLUGS AVAILABLE



ELEVATION

1-5/8" DIA. S/S
TUBULAR LEGS
W/ ADJUSTABLE
BULLET FEET

1-1/4" DIA. TUBULAR
CROSSBRACING

1/4" THK. CLEAR
TRANSLUCENT
PLEXIGLASS

100-277V, 50/60HZ
LED LIGHT PANEL, 40W,
4,286 LUMENS

STAINLESS
STEEL
CHANNELS

S/S LEG SOCKET

SECTION

REVISIONS		BY	
NO.	DATE		

CONTINENTAL METAL PRODUCTS CO., INC.
35 OLIMPIA AVE. - WOBURN, MA. 01888

MODEL NO. L19644

LINEN INSPECTION TABLE

SCALE: 3/4"=12" DATE: 01/27/2017 DRAWN: PM

SYS DWG NO. AOB-1916

SHEET: 1 OF 1 AC

DIMENSIONS ARE IN INCHES

REV	